

District







**KI
TCHEN**

**BATH
ROOM-SPA**



**BATH
ROOM**



**GAL
LE
RY**

pag. 24

SHOW RO OM



HALL

pag. 28



pag. 32

VI LLA OUT DOOR



DATI
TECHNICAL
TECNICI
DATA

pag. 36

District



Le design contemporain
et des détails uniques,
le plaisir de la conception
architecturale

Kontemporäre Design
und einzigartige Details,
Das Vergnügen des
Entwerfens

El diseño contemporáneo
y detalles únicos.
El placer de diseñar



DESIGN
CONTEMPORARY DESIGN
CONTEMPORANEO
AND UNIQUE DETAILS,
E DETTAGLI UNICI,
THE PLEASURE
IL PIACERE
OF DESIGNING
DI PROGETTARE



СОВРЕМЕННЫЙ ДИЗАЙН И
НЕПОВТОРИМЫЕ ДЕТАЛИ,
УДОВЛЕТВОРЕНИЕ СОЗДАВАТЬ
ПРОЕКТЫ

District





ZINC RETT / 90X90 - 35,4"X35,4"
ZINC OUT RETT 20 MM / 90X90 - 35,4"X35,4"



KITCHEN

90
X
90

ZINC

ZINC RETT / 90X90 - 35,4"X35,4"
ZINC OUT RETT 20 MM / 90X90 - 35,4"X35,4"






ZINC RETT / 90X90 - 35,4"X35,4"



ZINC RETT / 90X90 - 35,4"X35,4"



BA- TH RO- OM SPA

ZINC RETT / 59,5X59,5 - 23,4"X23,4"
WHITE RETT / 59,5X59,5 - 23,4"X23,4"
WHITE RETT / 59,5X119,2 - 23,4"X47"
RUST MIX RETT / 29,6X29,6 - 11,8"X11,8"
COMFORT C BEIGE GEO / 25X25 - 10"X10"

Reception

Sauna >

Gym >



District



WHITE RETT / 59,5X59,5 - 23,4"X23,4" 59,5X119,2 - 23,4"X47"
COMFORT C BEIGE GEO / 25X25 - 10"X10"



WHITE RETT / 59,5X59,5 - 23,4"X23,4"

BATH ROOM



BEIGE RETT / 90X90 - 35,4"X35,4"
BEIGE OUT DRY RETT / 59,5X59,5 - 23,4"X23,4"
ZINC RETT / 90X90 - 35,4"X35,4"
ZINC MURETTO / 30X30 - 12"X12"



ZINC MURETTO / 30X30 - 12"X12"



BEIGE OUT DRY RETT / 59,5X59,5 - 23,4"X23,4"







GALLE
RY

59.5X119.2

90X90

GREY

District





GREY RETT / 90X90 - 35,4"X35,4" 59,5X119,2 - 23,4"X47"



SHOW
RO
OM



GREY RETT / 59,5X119,2 - 23,4"X47" RUST RETT / 90X90 - 35,4"X35,4"

District






GREY RETT / 59,5X119,2 - 23,4"X47"

District

GREY OUT RETT 20 MM / 90X90 - 35,4"X35,4"
WHITE RETT / 90X90 - 35,4"X35,4"



HALL



IN +
OUT

WHITE RETT / 90X90 - 35,4"X35,4"
GREY OUT RETT 20 MM / 90X90 - 35,4"X35,4"





VI
LLA

OUT
DO
OR

GREY OUT RETT 20 MM / 90X90 - 35,4"X35,4"



District

GREY / TORO TONDO 90X90 - 35,4"X35,4"*



* PEZZO SPECIALE VENDUTO AL PEZZO CON CONSEGNA DI 30 GIORNI LAVORATIVI
SPECIAL ITEM SOLD BY THE PIECE WITH CONSIGNMENT AFTER 30 WORK DAYS
PIÈCE SPÉCIALE VENDUE À LA PIÈCE. LIVRAISON EN 30 JOURS OUVRABLES
STÜCKWEISE VERKAUFTE FORMSTÜCK MIT LIEFERZEIT VON 30 WERKTAGEN
PIEZAS ESPECIALES VENDIDAS POR PIEZA CON ENTREGA EN 30 DÍAS LABORABLES
СПЕЦИАЛЬНАЯ ЕДИНИЦА. ПРОДАННАЯ ПОШТУЧНО. ДОСТАВКА В ТЕЧЕНИЕ 30 РАБОЧИХ ДНЕЙ



GREY OUT RETT 20 MM / 90X90 - 35,4"X35,4"

DATI
TECHNICAL
TECNICI
DATA

**PORCELLANATO
IMPASTO COLORATO**

DIGITAL TECHNOLOGY

COLOURED BODY
PORCELAIN STONEWARE

GRÈS CÉRAME COLORÉ
DANS LA MASSE

DURCHGEFÄRBTES
FEINSTEINZEUG

PORCELÁNICO DE PASTA
DE COLOR

КЕРАМОГРАНИТ,
ОКРАШЕННЫЙ В МАССЕ

COLORI

COLOURS - COULEURS - FARBEN - COLORES - ЦВЕТА

FINITURE/FINISHES

РЕТТ




WHITE




BEIGE



GREY



ZINC



RUST

DISTRICT
WHITE

SVILUPPO GRAFICO / GRAPHIC DEVELOPMENT



DISTRICT
BEIGE

SVILUPPO GRAFICO / GRAPHIC DEVELOPMENT



DISTRICT GREY

SVILUPPO GRAFICO / GRAPHIC DEVELOPMENT



DISTRICT
ZINC

SVILUPPO GRAFICO / GRAPHIC DEVELOPMENT



DISTRICT

RUST

SVILUPPO GRAFICO / GRAPHIC DEVELOPMENT



**PORCELLANATO
IMPASTO COLORATO**

COLOURED BODY
PORCELAIN STONEWARE

DURCHGEFÄRBTES
FEINSTEINZEUG

КЕРАМОГРАНИТ,
ОКРАШЕННЫЙ В МАССЕ

DIGITAL TECHNOLOGY

GRÈS CÉRAME COLORÉ
DANS LA MASSE

PORCELÁNICO DE PASTA
DE COLOR

FORMATI

SIZES - FORMATS - FORMATE - FORMATOS - ФОРМАТЫ



IN/10 MM



OUT/10 MM



OUT/20 MM




29,6X59,5
11,8"X23,4"
RETT




BATTISCOPIA
9X59,5 3,5"X23,4"
RETT




BATTISCOPIA
7X90 2,8"X35,4"
RETT




SCALINO COSTA RETTA
33X119,2 13"X47"
RETT




59,5X119,2
23,4"X47"
RETT




44,5X90
17,5"X35,4"
RETT




MIX
29,6X29,6 11,8"X11,8"
RETT




59,5X59,5
23,4"X23,4"
RETT



90X90
35,4"X35,4"
RETT



MOSAICO
30X30 12"X12"



MURETTO
30X30 12"X12"

DECORATIVE PIECES AND SPECIAL TRIMS

90X90 35,4"X35,4"	DDC9910R	DISTRICT WHITE RETT	90X90
	DDC9920R	DISTRICT BEIGE RETT	90X90
	DDC9940R	DISTRICT GREY RETT	90X90
	DDC9950R	DISTRICT RUST RETT	90X90
	DDC9970R	DISTRIC ZINC RETT	90X90
59,5X119,2 23,4"X47"	DDC12610R	DISTRICT WHITE RETT	59,5X119,2
	DDC12620R	DISTRICT BEIGE RETT	59,5X119,2
	DDC12640R	DISTRICT GREY RETT	59,5X119,2
	DDC12650R	DISTRICT RUST RETT	59,5X119,2
	DDC12670R	DISTRICT ZINC RETT	59,5X119,2
59,5X59,5 23,4"X23,4"	DDC610R	DISTRICT WHITE RETT	59,5X59,5
	DDC620R	DISTRICT BEIGE RETT	59,5X59,5
	DDC640R	DISTRICT GREY RETT	59,5X59,5
	DDC650R	DISTRICT RUST RETT	59,5X59,5
	DDC670R	DISTRICT ZINC RETT	59,5X59,5
29,6X59,5 11,8"X23,4"	DDC310R	DISTRICT WHITE RETT	29,6X59,5
	DDC320R	DISTRICT BEIGE RETT	29,6X59,5
	DDC340R	DISTRICT GREY RETT	29,6X59,5
	DDC350R	DISTRICT RUST RETT	29,6X59,5
	DDC370R	DISTRICT ZINC RETT	29,6X59,5
44,5X90 17,5"X35,4"	DDC910R	DISTRICT WHITE RETT	44,5X90
	DDC920R	DISTRICT BEIGE RETT	44,5X90
	DDC940R	DISTRICT GREY RETT	44,5X90
	DDC950R	DISTRICT RUST RETT	44,5X90
	DDC970R	DISTRICT ZINC RETT	44,5X90
MIX 29,6X29,6 11,8"X11,8"	DDCM10R	MIX DISCRICIT WHITE (36 PZ) RETT	29,6X29,6
	DDCM20R	MIX DISCRICIT BEIGE (36 PZ) RETT	29,6X29,6
	DDCM40R	MIX DISCRICIT GREY (36 PZ) RETT	29,6X29,6
	DDCM50R	MIX DISCRICIT RUST (36 PZ) RETT	29,6X29,6
	DDCM70R	MIX DISCRICIT ZINC (36 PZ) RETT	29,6X29,6
MOSAICO 30X30 12"X12"	DDCM11	MOSAICO DISCRICIT WHITE	30X30
	DDCM22	MOSAICO DISCRICIT BEIGE	30X30
	DDCM44	MOSAICO DISCRICIT GREY	30X30
	DDCM55	MOSAICO DISCRICIT RUST	30X30
	DDCM77	MOSAICO DISCRICIT ZINC	30X30

**PORCELLANATO
IMPASTO COLORATO**

COLOURED BODY
PORCELAIN STONEWARE

DURCHGEFÄRBTES
FEINSTEINZEUG

КЕРАМОГРАНИТ,
ОКРАШЕННЫЙ В МАССЕ

DIGITAL TECHNOLOGY

GRÈS CÉRAMÉ COLORÉ
DANS LA MASSE

PORCELÁNICO DE PASTA
DE COLOR

MURETTO 30X30 12"X12"

DDCM11M	MURETTO DISCRICIT WHITE	30X30
DDCM22M	MURETTO DISCRICIT BEIGE	30X30
DDCM44M	MURETTO DISCRICIT GREY	30X30
DDCM55M	MURETTO DISCRICIT RUST	30X30
DDCM77M	MURETTO DISCRICIT ZINC	30X30

BATTISCOPA 9X59,5 3,5"X23,4"

DDCB10R	BATT. DISCRICIT WHITE RETT	9X59,5
DDCB20R	BATT. DISCRICIT BEIGE RETT	9X59,5
DDCB40R	BATT. DISCRICIT GREY RETT	9X59,5
DDCB50R	BATT. DISCRICIT RUST RETT	9X59,5
DDCB70R	BATT. DISCRICIT ZINC RETT	9X59,5

BATTISCOPA 7X90 2,8"X35,4"

DDCB91R	BATT. DISCRICIT WHITE RETT	7X90
DDCB92R	BATT. DISCRICIT BEIGE RETT	7X90
DDCB94R	BATT. DISCRICIT GREY RETT	7X90
DDCB95R	BATT. DISCRICIT RUST RETT	7X90
DDCB97R	BATT. DISCRICIT ZINC RETT	7X90

C. RETTA 33X119,2 13"X47"

DDCS3310R	C.RETTA DISCRICIT WHITE RETT	33X119,2
DDCS3320R	C.RETTA DISCRICIT BEIGE RETT	33X119,2
DDCS3340R	C.RETTA DISCRICIT GREY RETT	33X119,2
DDCS3350R	C.RETTA DISCRICIT RUST RETT	33X119,2
DDCS3370R	C.RETTA DISCRICIT ZINC RETT	33X119,2

VERSIONE OUT DRY

59,5X59,5 23,4"X23,4"

DDC610OR	DISTRICT WHITE OUT DRY RETT	59,5X59,5
DDC620OR	DISTRICT BEIGE OUT DRY RETT	59,5X59,5
DDC640OR	DISTRICT GREY OUT DRY RETT	59,5X59,5
DDC650OR	DISTRICT RUST OUT DRY RETT	59,5X59,5
DDC670OR	DISTRICT ZINC OUT DRY RETT	59,5X59,5

VERSIONE OUT 20 MM

90X90 35,4"X35,4"

DDC9940OR	DISTRICT GREY OUT RETT 20 MM	90X90
DDC9970OR	DISTRICT ZINC OUT RETT 20 MM	90X90



IN/10 MM



OUT/10 MM



OUT/20 MM

IMBALLI / PACKING / EMBALLAGE / VERPACKUNG

FORMATO SIZE FORMAT FORMAT	PZ./SCATOLA PIECES/BOX PIECES/BOÎTE STÜCK/KARTON	MQ./SCATOLA SQM/BOX M ² /BOÎTE QM/KARTON	KG./SCATOLA KG/BOX KG/BOÎTE KG/KARTON	SC./PALLET BOXES/PALLET BOÎTES/PALETTE KARTONS/PALETTE	MQ./PALLET SQM/PALLET M ² /PALLETTE QM/PALLETTE	KG./PALLET KG/PALLET KG/PALLETTE KG/PALLETTE	SPESORE THICKNESS ÉPAISSEURS STÄRKE
90X90 35,4"X35,4" RETT	2	1,620	33,40	20	32,40	683	10 MM
59,5X119,2 23,4"X47" RETT	2	1,440	31,00	36	51,84	1131	10 MM
59,5X59,5 23,4"X23,4" RETT	4	1,440	31,00	30	43,20	945	10 MM
29,6X59,5 11,8"X23,4" RETT	5	0,900	19,30	48	43,20	941	10 MM
44,5X90 17,5"X35,4" RETT	3	1,200	25,60	32	38,40	834	10 MM
29,6X29,6 11,8"X11,8" MIX RETT	4	-	-	-	-	-	-
30X30 12"X12" MOSAICO	4	-	-	-	-	-	-
30X30 12"X12" MURETTO	4	-	-	-	-	-	-
9X59,5 3,5"X23,4" BATTISCOPA RETT	12	-	-	-	-	-	-
7X90 2,8"X35,4" BATTISCOPA RETT	6	-	-	-	-	-	-
33X119,2 13"X47" C. RETTA	2	-	-	-	-	-	-
59,5X59,5 23,4"X23,4" OUT DRY RETT	4	1,440	32,11	30	43,20	978	10 MM
90X90 35,4"X35,4" OUT 20 MM RETT	1	0,810	36,70	30	24,30	1116	20 MM

Dati tecnici secondo norme: Technical data conform to: Caractéristiques techniques d'après normes: Technische Daten nach den Normen: EN 14411 Bia GL		DISTRICT	DISTRICT OUT DRY	Dati tecnici secondo norme: Technical data conform to: Caractéristiques techniques d'après normes: Technische Daten nach den Normen: EN 14411 Bia GL		DISTRICT	DISTRICT OUT DRY
Caratteristiche Tecniche Technical Data Caractéristiques Techniques Technische Daten	Norme Norms Normes Normen	Valori Value Valeur Wert	Valori Value Valeur Wert	Caratteristiche Tecniche Technical Data Caractéristiques Techniques Technische Daten	Norme Norms Normes Normen	Valori Value Valeur Wert	Valori Value Valeur Wert
Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme	ISO 10545 - 3	≤ 0,5%	≤ 0,5%	Resistenza alle macchie Stain resistance Résistance aux taches Fleckenfestigkeit	ISO 10545 - 14	TOTALE COMPLETE TOTALE ABSOLUT	TOTALE COMPLETE TOTALE ABSOLUT
Resistenza alla flessione Breaking modulus Résistance à la flexion Biegefestigkeit	ISO 10545 - 4	40÷55 N/mm ²	40÷55 N/mm ²	Durezza Mohs Mohs hardness Dureté Mohs Härte Mohs	EN101	9	9
Resistenza all'abrasione Abrasion resistance Résistance à l'abrasion Abrasionswiderstandigkeit	ISO 10545 - 7	PEI V	PEI IV	Scivolosità Slipperiness Degré de glissement Rutschhemmung	DIN 51130	R10	R11
Scivolosità Coefficient of friction Degré de glissement Rutschhemmung	ANSI A137-1	> 0,42	> 0,42	Resistenza allo scivolamento Slip resistance Résistance au glissement Rutschhemmung	DIN 51097	B	C
Resistenza al gelo Resistance to frost Résistance au gel Frostbeständigkeit	ISO 10545 - 12	NON GELIVE FROST PROOF INGÉLIF FROSTSICHER	NON GELIVE FROST PROOF INGÉLIF FROSTSICHER	Scivolamento B.C.R.A. Slipperiness B.C.R.A. Degré de glissement B.C.R.A. Rutschhemmung B.C.R.A.	TORTUS	WET > 0,48 DRY > 0,43	WET > 0,79 DRY > 0,86
Resistenza all'attacco acido e basico Glaze resistance to acid and alkaline attack Résistance aux acides et aux bases Säure-und laugenfestigkeit	ISO 10545 - 13	RESISTE RESISTS RESISTE BESTÄNDIG	RESISTE RESISTS RESISTE BESTÄNDIG				

I valori indicati nella tabella si riferiscono alle prove eseguite sul colore WHITE.

The values in the table refer to the tests performed on color WHITE.

Les valeurs indiquées dans le tableau se réfèrent aux essais exécutés sur le couleur WHITE.

Die in der Tabelle angegebenen Werte beziehen sich auf die Tests die auf dem Farbe WHITE ausgeführt wurden.

Los valores indicados en la tabla se refieren a las pruebas realizadas sobre el color WHITE.

Указанные в таблице значения относятся к испытаниям, проведенным на бежевом оттенке WHITE.



Ceramics of Italy

A Brand of:  VICTORIA PLC

District



SEDE LEGALE E OPERATIVA:

41014 Solignano di Castelvetro (MO) Italy
Via Croce, 80

PH. +39 059 77 84 11
FAX +39 059 77 84 44/43

info@domceramiche.it
domceramiche.it

A Brand of:  VICTORIA PLC