

FORTUNA ZINGARA


LONDON

Fine Ceramic Tiles - Fine Porcelain Tiles - Slabs - Custom Line

GALLIPOLI

Fine Porcelain Tiles

12 Patterns • 1 Size



INDEX:

Patterns 4, 17

Size 18, 21

Surface Finish 22, 23

Body 24, 25

Packaging data 26

Cleaning & Maintenance 27, 30
Instruction (Ceramic/Porcelain Tiles)

Patterns

Gallipoli series is made of **12 different single patterns design**, and each tile can be connected to another tile of the same design repeating the pattern to infinity. These are 12 different individual Mediterranean looks.





Patterns 1 Saint Tropez Black Patterns 2 Karaki Gold







Patterns 3 Donjon




Patterns 4 BW Flash







Patterns 5 Trois bandes



Patterns 6 Marbel Star








Patterns 7 Macramé




Patterns 8 Kerala







Patterns 9 Goa




Patterns 10 Exagona







Patterns 11 Couture



Patterns 12 Asteri







Size

GALLIPOLI is produced in **one size**: **20x20cm**, all of them are unrectified.





Size Unrectified


The Edges of the Gallipoli series are naturally **UNRECTIFIED**.





Surface Finish: Matte


The surface of the Gallipoli is MATTE finish keeping a smooth touch while respecting anti-slippery performance.





Body

The Gallipoli is made of white body porcelain tiles giving the required strength and frost-proof characteristic for this floor tile.





Packaging Data

		Boxes		Pallet		
SIZE(CM)		Pieces	MQ	Вох	MQ	KG
	20x20	35	1,40	64	89,60	1500

Cleaning & Maintenance Instruction

(CERAMIC/PORCELAIN TILES)

DURING INSTALLATION:

- 1. Do not allow any tile adhesive or excess grout to dry on the proper surface of the tile. Unwanted adhesive or excess grout should be cleaned a few minutes after application or before the material become dry. Cleaning should be performed according to the adhesive or grout manufacturer's method and instruction..
- 2. For protection against construction dirt, scratches and incidental mutilation, the tiles already laid or fixed on the floors must be covered within the duration of the construction.
- 3. The installed tiles should be cleaned and free from all kinds of construction dirt and grimes before handing over the project..

FOR REGULAR CLEANING & MAINTENANCE:

- 1. Wipe off dusts from the surface of the tiles on regular schedule.
- 2. Dilute 100 ml of commercial degreasing agent (for example: KIWI Kleen Floor Super Active) to 5 litres of clean water.
- 3. 3Apply and wipe over the surface with the use of cotton cloth or sponge or mop. Rinsing is not necessary.
- 4. For floors, allow the cleaned area to dry before permitting pedestrian passage.





Cleaning & Maintenance Instruction

(CERAMIC/PORCELAIN TILES)

FOR CLEANING WITH FLOOR WASHING MACHINE:

- 1. Wipe off dusts from the surface of the tiles.
- 2. Dilute 100 ml of commercial degreasing agent (for example: KIWI Kleen Floor Super Active) to 5 litres of clean water.
- 3. Pour the solution into the tank, start the floor washing machine and clean the area.
- 4. Allow the cleaned area to dry before permitting pedestrian passage.

FOR REMOVAL OF COMMON MARKS OR STAINS:

- 1. Wipe off dusts from the surface of the tiles.
- 2. Use undiluted commercial degreasing agent (for example: KIWI Kleen Floor Super Active).
- 3. Apply and rub over the surface with the use of cotton cloth or sponge or mop.
- 4. Rinse with water and wipe with dry cotton cloth or mop.
- 5. For floors, allow the cleaned area to dry before permitting pedestrian passage.

FOR REMOVAL OF STUBBORN MARKS OR STAINS:

- 1. Wipe off dusts from the surface of the tiles.
- Depending on the type of tiles and stain, use undiluted commercial degreasing agent (for example: KIWI Kleen Floor Super Active). Undiluted specialized cleaning agents such as FILA Deterdek, FILA PS/87, FILA PH Zero or other brands of cleaning solutions can also be used.
- 3. Spread the solution over the affected surface and leave for approximately 3-5 minutes or longer, to allow cleaning reaction. It is recommended to clean initially a sufficiently visible section of a tile and examine the result if suitable, before proceeding to clean the area covered with this material.
- 4. Rub the solution over the affected surface with the use of cotton cloth or sponge. Use scouring pad, if the marks or stains persist. For large areas, the use electric floor polisher is *recommended*. 5)
- 5. Rinse with water and wipe with dry cotton cloth or mop.
- 6. Repeat steps 2 to 5 if necessary.
- 7. For floors, allow the cleaned area to dry before permitting pedestrian passage.





Cleaning & Maintenance Instruction

(CERAMIC/PORCELAIN TILES)

NOTICE!

- Cleaning and maintenance program depends essentially on the density of traffic, the condition of the surrounding area where the tiles are installed and the nature of dirt to which the floors or walls are exposed. Thus, routine cleaning and maintenance must be performed according to specific requirements.
- The performance of a product is limited to such an extent. Any spillage of tea, coffee, paint, permanent marker, hair dye and the like on the tiles must be immediately cleaned to prevent severe staining. It is possible that these substances may leave light mark or slight dis-coloration on the tiles if not immediately cleaned.
- It is not advisable to use hydrofluoric acid solution or its compound for cleaning.
- Do not use metal tools to scrape the dirt from the surface of the tiles.





www.fortunazingara.com london@fortunazingara.com

